

PATENT
5226-01300

"EXPRESS MAIL" MAILING
LABEL NUMBER EL849600554US
DATE OF DEPOSIT JUNE 6, 2001
I HEREBY CERTIFY THAT THIS PAPER OR
FEE IS BEING DEPOSITED WITH THE UNITED
STATES POSTAL SERVICE "EXPRESS MAIL
POST OFFICE TO ADDRESSEE" SERVICE
UNDER 37 C.F.R. § 1.10 ON THE DATE
INDICATED ABOVE AND IS ADDRESSED TO
THE COMMISSIONER OF PATENTS AND
TRADEMARKS, WASHINGTON, D.C. 20231



Derrick Brown

METHODS AND SYSTEMS FOR MONITORING SECURITIES QUOTES

By:
John Bunda

BACKGROUND OF THE INVENTION

1. Field of the Invention

5 The present invention generally relates to computer software. Certain embodiments relate to computer-implemented methods for monitoring securities quotes (e.g., quotes for stocks, options contracts, futures, bonds, mutual funds, and other investments).

10 2. Description of the Related Art

 The securities trading industry has burgeoned since the advent of the Internet. Many companies offer securities trading services through a variety of automated systems, such as a telephone or a computer system. For example, placing orders to buy or sell
15 securities may include using an order entry screen on a computer system. Before placing an order, a trader of securities may review technical analysis data and/or securities quotes which may aid in making trading decisions.

 A stock exchange (or stock market) may facilitate trading in securities by
20 communicating open quotes and orders. A stock exchange may also use market centers to match buyers and sellers of a security. For example, the NASDAQ Stock Market uses the Small Order Exchange System ("SOES") and Electronic Communication Networks ("ECN"s). Both the SOES and ECNs may be referred to generally as market centers. An ECN may generally refer to an order matching system that may allow traders to advertise a
25 price that may be better than the best (i.e., highest) current bid price or best (i.e., lowest) current ask price for a security. In order to list a price through an ECN, a trader must place a limit order. If a limit order placed through an ECN meets certain criteria, the order may be advertised in the ECN's order book. An order book may be communicated to a stock exchange electronically.

30

Market makers participating in a market commit capital to buy and sell stock on the market. Under the rules of certain markets (e.g., the NASDAQ Stock Market), a market maker participating in the exchange of a particular security is expected to provide both buy and sell quotes for that security. These quotes do not necessarily represent actual orders; rather they represent a willingness on the part of the market maker to execute transactions at the quoted price. The SOES network is a non-negotiated exchange in which market makers may place offers and bids and may be required to meet fill requirements set forth in a participation agreement with the National Association of Securities Dealers ("NASD"). SOES is directed to filling small orders (i.e., less than 1000 shares). Since SOES is non-negotiated, it may be desirable for certain traders in securities to bypass SOES in favor of negotiating a transaction with an ECN which is better than the current best bid or ask price.

By using an ECN, traders may bypass the SOES network and thus may make markets by playing or splitting the spread. Since SOES is a non-negotiated market, this option is not available to traders through SOES. Examples of ECNs may include Arcapelago ("ARCA"), Bloomberg ("BTRD"), Instinet ("INCA"), Island ("ISLD"), Spear Leeds ("REDI"), and SelectNet ("NASD").

To facilitate trading, a market generally provides traders with open quote and order information. To make market center quotes and order information more useful in time-critical situations (e.g., day-trading), it may be desirable to provide a method for presenting aggregated trading data in real-time. Moreover, given the quantity of information potentially available to traders, it may also be desirable to provide a method for allowing a trader of securities to customize a display of this data in real-time.

25

SUMMARY OF THE INVENTION

An embodiment of the invention relates to an improved computer-implemented method and system for displaying information related to securities to a user. In one
5 embodiment, a system and a method may provide a trader of securities real-time access to combinations of quotes for a security, which may be sorted by common price and common trading direction.

Embodiments described herein may interact with other securities trading systems
10 and methods. For example, embodiments described herein may interact with systems and methods described in co-pending U.S. Patent application 09/460,045 which is incorporated by reference as if full set forth herein.

In an embodiment, the method may include receiving quotes for at least one
15 security. The received quotes may include a market center identification, a price, a quantity, and a trading direction. The market center may, for example, include an ECN or SOES. The price may include a bid price. In this manner, the trading direction may be a solicitation to buy at least the one security. Alternatively, the price may include an ask price, and the trading direction may include a solicitation to sell at least the one security.
20 The quantity may include a number of shares. The number of shares may be expressed in terms of some multiple such as hundreds of shares. The received quotes may include additional information such as a date and a time at which the quote was received. More than one quote may be received from each market center. For example, several quotes from different market makers may be received from the SOES market center.

25

In an embodiment, the method may include combining at least two of the received quotes from the same market center. In another embodiment, the method may include combining two or more quotes received from different market centers. The quotes may be combined if the two or more quotes have a common price and a common trading direction
30 for at least the one security. In addition, at least the two received quotes may be combined automatically.

In an embodiment, the method may include displaying the combined quotes to the user. Displaying the combined quotes may be done in real-time. Alternatively, displaying the combined quotes to the user may be done within a period of time, such as thirty
5 minutes, of receiving a quote from a second or subsequent market center for the common price and the common trading direction for at least the one security. In addition, the combined quotes may be combined automatically.

In an additional embodiment, the method may include receiving user configuration
10 data. The user configuration data may alter the display of the combined quotes to the user. For example, the user configuration data may include a list of columns of quote information to be displayed to the user. The quote information may include, but is not limited to a market center identification, a bid price, an ask price, a quantity, a quote date,
15 a quote time, or a combination thereof.

In a further embodiment, receiving quotes may include receiving quotes in a first computer system. Displaying the combined quotes may include displaying the combined quotes on the first computer system. Alternatively, displaying the combined quotes may include displaying the combined quotes on a second computer system. The second
20 computer may be coupled to the first computer system over a computer network such as the Internet.

In an embodiment, the method may also include receiving user preferences. The user preferences may include a ranking of market centers. For example, the ranking may
25 include a sequence in which the user prefers a trade to be filled by the market centers. In addition, the method may include storing the user preferences. The user preferences may be stored in a memory coupled to a first computer system or a second computer system. The first and second computer system may be configured as described in the above embodiments. The first computer system may be coupled to the second computer system
30 over a computer network.

In an embodiment, the method may further include receiving an order from a user for at least the one security. The received order may include a price. Furthermore, the method may include matching market centers of the combined quotes with market centers in the user preferences according to a sequence in which the user prefers a trade to be
5 filled by the market centers. At least one of the combined quotes may include a price equal to the price of the received order. Market centers of the combined quotes and market centers in the user preferences may be matched automatically. In addition, matching market centers may include automatically matching the market centers in real-time. Alternatively, matching the market centers may include automatically matching the
10 market center within a time period such as thirty minutes of receiving the order.

An additional embodiment may relate to a system configured to display securities information. The system may include a first computer system coupled to a network. The first computer system may include a memory configured to receive user configuration data
15 from a user. The first computer system may also include a display system configured to display securities information in a security display format. The user configuration data may affect the security display format. In addition, the first computer system may be configured to receive securities information from the network and to display securities information in the securities display format. Alternatively, a second computer system may
20 be configured to receive securities information from the network and to display securities information in the securities display format. The securities information may be aggregated. The first computer system or the second computer system may also be configured to receive order placement information for securities from the user.

25 A further embodiment may relate to a carrier medium which may store program instructions. For example, the carrier medium may include a memory medium. The program instructions may be computer-executable to implement a method for displaying information related to securities. The method may include receiving quotes for at least one security. The method may also include transmitting the quotes to a user interface. In
30 addition, the method may include combining quotes from two or more market centers. The two or more market centers may quote a common price for a common trading

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 depicts a schematic diagram of an embodiment of a wide area network suitable for implementing various embodiments;

5

Fig. 2 depicts an illustration of an embodiment of a computer system suitable for implementing various embodiments;

Fig. 3 depicts a flowchart illustrating a method for displaying security quote information in real-time and for combining security quote information for common quotes in real-time according to one embodiment;

10

15

Fig. 4 depicts a flowchart illustrating a method for placing securities orders and for automatically matching placed orders with a quote which may be displayed as shown in Fig. 3 according to one embodiment;

Fig. 5a depicts a related art illustration of a series of bid prices for a security;

20

Fig. 5b depicts an illustration of a combined series of bid prices for the security as shown in Fig. 5a according to one embodiment; and

Fig. 6 depicts an illustration of a combined series of bid prices and ask prices for the security as shown in Fig. 5a according to one embodiment; and

25

While the invention is susceptible to various modifications and alternative forms, specific embodiments thereof are shown by way of example in the drawings and will be described in detail herein. It should be understood, however, that the drawings and detailed description thereto are not intended to limit the invention to the particular form disclosed, but on the contrary, the intention is to cover all modifications, equivalents and alternatives falling within the spirit and scope of the present invention as defined by the appended claims.

30

DETAILED DESCRIPTION OF SEVERAL EMBODIMENTS

Embodiments disclosed herein generally relate to methods and systems for displaying information related to securities to a user. As used herein, a “security” may generally refer to an investment instrument issued by a corporation, government, or other organization which may constitute evidence of debt or equity (e.g., stocks, options contracts, futures, bonds, mutual funds, and other investments). As used herein, “technical analysis” may generally refer to a method for evaluating securities by relying on an assumption that market data (e.g., charts of price, volume, and open interest) may aid in predicting future (usually relatively short-term) market trends. As used herein, a “quote” refers to a willingness to buy or sell a specified number of shares of a security at a specified price. A willingness to buy a security specifies a bid price. As used herein, a “bid price” may generally refer to the price that a buyer may be willing to pay for a security at a specified time. Conversely, a willingness to sell specifies an ask price. As used herein, an “ask price” may generally refer to the price that a seller may be willing to accept for a security at a specified time. As used herein, a “trade price” or “price” of a security may generally refer to a price of a transaction for the security.

As used herein, an “order” is a request to buy or sell a specified number of shares of a security. An order which specifies a price is called a “limit order.” An order which does not specify a price is called a “market order.” A market order may be executed at the best price currently available on the market. As used herein, the “spread” may generally refer to the difference between the best (i.e., highest) current bid price and the best (i.e., lowest) current ask price for a security. For example, the best (i.e., highest) current bid price for a security may be 92.25, and the best (i.e., lowest) current ask price for the security may be 92.75. Therefore, the spread between the bid price and the ask price may be 0.5 points (i.e., the difference between 92.75 and 92.25 is 0.5: a “point” is \$1, thus a 0.5 points is \$0.50). For example, through an ECN a trader may advertise a better bid price of 92.5 by placing a limit order at that price. An order may also specify a trading direction. As used herein, a “trading direction” may generally refer to either a willingness to buy a security or a willingness to sell the security. When the trading direction is a willingness to buy,

the price is referred to as a bid price. Conversely, when the trading direction is a willingness to sell, the price is referred to as an ask price.

As used herein, an "ECN" may generally refer to a market center which includes an order matching system that may allow traders to advertise a price that may be better than the best (i.e., highest) current bid price or best (i.e., lowest) current ask price for a security. As used herein, an "order book" may generally refer to a listing of open orders available through a market center. As used herein, a "market maker" may generally refer to an entity (e.g., a brokerage, a bank) that maintains an orderly market in a security by standing ready, willing, and able to buy and sell the security. As used herein, a "market center" may refer to a network or system which facilitates trading in securities. For example, an ECN may be considered a market center. The SOES network may be considered a market center.

As used herein, "real-time" may generally refer to a response to stimuli within some relatively small upper limit of response time (e.g., seconds or minutes). As used herein, "automatically" may generally refer to an action taken without requiring manual steps on the part of the user.

Fig. 1 illustrates a wide area network (WAN) according to one embodiment. WAN 102 may be a network that spans a relatively large geographical area. The Internet is an example of a WAN. WAN 102 may typically include a plurality of computer systems which may be interconnected through one or more networks. Although one embodiment is shown in Fig. 1, WAN 102 may include a variety of heterogeneous computer systems and networks which may be interconnected in a variety of ways and which may run a variety of software applications.

One or more local area networks (LANs) 104 may be coupled to WAN 102. A LAN may be a network that spans a relatively small area. For example, a LAN may be confined to a single building or a group of buildings. Each node (i.e., individual computer system or device) on LAN 104 may preferably have its own CPU with which it may execute programs. In addition, each node may also be able to access data and

devices anywhere on LAN 104. LAN 104 may thus allow many users to share devices (e.g., printers) as well as data stored on file servers. LAN 104 may be characterized by any of a variety of types of topology (i.e., a geometric arrangement of devices on the network), of protocols (i.e., rules and encoding specifications for sending data, and whether the network uses a peer-to-peer or client/server architecture), and of media (e.g., twisted-pair wire, coaxial cables, fiber optic cables, or radio waves).

Each LAN 104 may include a plurality of interconnected computer systems and optionally one or more other devices such as one or more workstations 110a, one or more personal computers 112a, one or more laptop or notebook computer systems 114, one or more server computer systems 116, and one or more network printers 118. As illustrated in Fig. 1, LAN 104 may include one of each of computer systems 110a, 112a, 114, and 116, and one printer 118. LAN 104 may be coupled to other computer systems and/or other devices and/or other LANs 104 through WAN 102.

One or more mainframe computer systems may be coupled to WAN 102. As shown, mainframe computer system 120 may be coupled to a storage device or file server 124 and mainframe terminals 122a, 122b, and 122c. Mainframe terminals 122a, 122b, and 122c may access data stored in the storage device or file server 124 coupled to or included in mainframe computer system 120.

WAN 102 may also include computer systems, which are connected to WAN 102 individually and not through a LAN 104 such as workstation 110b and personal computer 112b. For example, WAN 102 may include computer systems which may be geographically remote and connected to each other through the Internet.

Fig. 2 illustrates an embodiment of computer system 150 which may be suitable for implementing various embodiments of a system and a method for displaying information related to securities to a user. Computer system 150 may typically include components such as CPU 152 with an associated memory medium such as floppy disks 160. The memory medium may be configured to store program instructions for computer

programs. The program instructions may be executable by CPU 152. Computer system 150 may further include a display device such as monitor 154, an alphanumeric input device such as keyboard 156, and a directional input device such as mouse 158. Computer system 150 may be operable to execute the computer programs to implement a method for displaying information related to securities to a user as described herein.

Computer system 150 may preferably include a memory medium on which computer programs according to various embodiments disclosed herein may be stored. The term "memory medium" may generally refer to an installation medium, e.g., a CD-ROM, or floppy disks 160, a computer system memory such as DRAM, SRAM, EDO RAM, Rambus RAM, etc., or a non-volatile memory such as a magnetic media, e.g., a hard drive, or optical storage. The memory medium may include other types of memory as well, or combinations thereof. In addition, the memory medium may be located in a first computer in which the programs may be executed. Alternatively, the memory medium may be located in a second different computer which may connect to the first computer over a network. In the latter instance, the second computer may provide program instructions to the first computer for execution. In addition, computer system 150 may take various forms such as a personal computer system, mainframe computer system, workstation, network appliance, Internet appliance, personal digital assistant (PDA), television system or other device. In general, the term "computer system" may be broadly defined to encompass any device having a processor which may execute instructions from a memory medium.

The memory medium may preferably store a software program or programs for displaying information related to securities to a user as described herein. The software program(s) may be implemented in any of various ways such as procedure-based techniques, component-based techniques, and/or object-oriented techniques, among others. For example, the software program(s) may be implemented using ActiveX controls, C++ objects, JavaBeans, Microsoft Foundation Classes (MFC), browser-based applications (e.g., Java applets), traditional programs, or other technologies or methodologies, as desired. A CPU, such as host CPU 152, executing instructions from the memory medium may

include a means for creating and executing the software program or programs according to the methods described below.

Fig. 3 is a flowchart illustrating an embodiment of a method for displaying security quote information in real-time and combining security quote information for common quotes in real-time.

In step 301, security quote information may be received into a first computer system for at least one security. Examples of types of information that may be received in a security quote may include a market center identification, a price, a quantity (e.g., a number of shares), and a trading direction for a given security. The quantity may represent a number of shares directly or indirectly as a number expressed in terms of some multiple of shares (e.g., hundreds of shares). For example, if the quantity is “10”, then the quantity may represent 10 shares or 1,000 shares (i.e., $10 * 100$ shares). Typically, the quantity represents the same multiple (e.g., 1, 10, 100) for all securities shown in a display at one time. The multiple that the quantity represents may be a user-configurable value.

In step 302, security quote information for at least the one security may be automatically monitored. As shown in step 303, the method may include determining if a previously received security quote for at least the one security has the same price and the same trading direction as the most recently received security quote for at least the one security. Two or more security quotes received from a market center, which may have a common price and a common trading direction for a security, may be referred to as “common quotes.”

The method may include step 304 if the determination in step 303 is that common quotes exist. In this step, security quote information for the most recently received security quote may be combined with one or more previously received security quotes to form the combined quotes. Subsequent to combining the security quote information, the

combined security quote information may be automatically displayed for at least the one security as shown in step 304.

Alternatively, the method may include step 305 if the determination in step 303 is
5 that common quotes do not exist. In this step, security quote information for the most recently received security quote may be automatically displayed for at least the one security.

The combined security quote information and/or the most recently received
10 security quote information may be automatically displayed to a user in real-time or with a time delay. A value for the time delay may be user-configurable. In one embodiment, the user may select a real-time display by inputting a "0" for the time delay value. An increment of the time delay (e.g., minutes, seconds) may also be user-configurable. For example, if the time delay value is "15" and the time delay increment is minutes, the
15 information may be automatically refreshed every 15 minutes. Additionally, the combined security quote information and/or the most recently received security quote information may be automatically displayed on a first computer system or on a second computer system. The second computer system may be coupled to the first computer system over a computer network. The computer network may be the Internet.

20

Fig. 4 is a flowchart illustrating an embodiment of a method of order placement for securities that may include automatically matching a placed order with quote information displayed in Fig. 3. Upon review of the securities quote information displayed by the method depicted in Fig. 3, a user may choose to trade a security.
25 Trading may involve using user preferences previously stored in a first computer system or a second computer system, as described below. User preferences may rank market centers according to a sequence in which the user prefers a trade to be filled by the market centers. Upon a user's request to place an order (e.g., a buy order or a sell order for a security displayed with a combined quote), market centers represented in a
30 combined quote may be automatically matched with market centers in the user

preferences to fill the order. If an order is not filled by a first market center, the method may include attempting to fill the order through a second market center.

5 In step 401, user preference information may be received into a first computer system for at least one market center. Multiple market centers entered by a user may be ranked (by the user) such that the ranking may be a sequence in which the user prefers a trade to be filled. In one embodiment, one ranking of market centers may be associated with a security or a group of securities, and other rankings of market centers may be associated with a different security or a different group of securities.

10

In step 402, the user preference information may be stored in a memory coupled to the first computer system. Alternately, user preference information may be stored in a memory coupled to the second computer system. In step 403, the method may include receiving a list of quotes. Two or more quotes from the received list of quotes may be
15 combined for display to a user as described herein. In step 404 the method may include sorting the received quotes according to the stored user preference information. In some embodiments, the quote list may be sorted both by price, and according to the user preference information.

20 When a user places an order, the method may include step 405 to direct the order to the first quote in the sorted quote list. In step 406, the method may include determining if the order placed by the user was filled. If the order was filled, then the method may be complete. After the method is complete, it may be initiated again at step 401, 403 or 405. If the order was not filled, the method may include step 407 to remove the quote the order was
25 directed to from the sorted quote list. In step 408, the method may include determining if any quotes remain in the quote list after removing the quote in step 407. If the quote list is empty, the method may return to step 403. If one or more quotes remain in the quote list, the method may return to step 405. The method may continue in this manner until the order is filled, or until there are no quotes available which meet any conditions which may have
30 been specified in the order (e.g., a limit price).

Fig. 5a is a related art illustration of a series of bid prices for a security. The illustration in Fig. 5a may represent a screenshot of a user interface where a series of bid prices for a security are displayed. As shown, security-specific information 501 may be displayed at the top of the screenshot. Security-specific information 501 may include: a security symbol, a tick direction, a company name that corresponds to the security symbol, a type of business (e.g., Communications Equipment, Conglomerates), a previous closing price, a last printed trade price, a net change in price from the previous day's closing price, a highest trade price since opening of the trading session, a highest ask price since opening of the trading session, a last size (i.e., an actual number or a multiple of shares) traded, a current volume being traded, a lowest trade price since opening of the trading session, a lowest bid price since opening of the trading session, "bid x size" (i.e., the largest size bid at the inside quote), "ask x size" (i.e., the largest size ask at the inside quote), gap in price from previous day's closing price to today's opening price, and opening price of the trading session. The "x" in the two terms "bid x size" and "ask x size" represents multiplication (i.e., times). For example, a "bid x size" may be "90 x 1." Similarly, an "ask x size" may be "95 x 1."

As used herein, a "tick" may generally refer to the smallest change which may occur in a security's price. As used herein, a "tick direction" may generally refer to a direction (e.g., up or down) of change in a security's price as compared to the most recent trade price of the security. As used herein, an "inside quote" may generally refer to a difference between the best bid price and the best ask price quoted by any market center for a security.

Bid prices 503 may be shown below security-specific information 501. Columns of information may be included in bid prices 503 such as market center identification, price, and size. Additional columns may be displayed, based on user preferences. Examples of additional columns may include: a tick direction, a change, a quote date and time, and a quote condition.

30

Fig. 5b is an illustration of an embodiment of a combined series of bid prices for the security as shown in Fig. 5a. The illustration in Fig. 5b may represent a screenshot of a user interface where a series of bid prices for a security are displayed.

5 Similar to Fig. 5a, security-specific information 501 may be displayed at the top of the screenshot. Security-specific information 501 may include: a security symbol, a tick direction, a company name that corresponds to the security symbol, a type of business (e.g., Communications Equipment, Conglomerates), a previous closing price, a last printed trade price, a net change in price from the previous day's closing price, a highest trade price since opening of the trading session, a highest ask price since the open of the trading session, a last size (i.e., an actual number or a multiple of shares) traded, a current volume being traded, a lowest trade price since opening of the trading session, a lowest bid price since opening of the trading session, "bid x size" (i.e., the largest size bid at the inside quote), "ask x size" (i.e., the largest size ask at the inside quote), gap in price from previous day's closing price to today's opening price, and opening price of the trading session.

15 Bid prices 504 may be shown below security-specific information 501. Three columns of information may be included in bid prices 504 such as market center identification, price, and size. Additional columns may be displayed, based on user preferences. Examples of additional columns may include: a tick direction, a change, a quote date and time, and a quote condition.

25 In one embodiment, as shown in Fig. 5b, the market center column for each row of the combined quote information may include a generic term (e.g., NASDAQ). Also shown in Fig. 5b, the market center column for each row of the quote information representing a quote from a single market center may include an abbreviation for a single market center (e.g., ISLD).

30 Combining quote information for a common price and from a common market center (e.g., SOES, or ECN) from Fig. 5a into a single combined quote for the common price in Fig. 5b may be illustrated through the use of arrows 510 and 530. As used

herein, "MMx," where x is a letter, represents an individual market maker. As used herein, "ECNx," where x is a letter, represents an individual ECN. Arrow 510 illustrates combining two quotes (as shown in Fig. 5a) at a common price of 48.75 (i.e., a quote of size 50 from market maker MMA, and a quote of size 10 from market maker MMb) into one combined quote (as shown in Fig. 5b) at the common price of 48.75. The combined quote may be displayed generically with market center NASDAQ and a size of 60 (i.e., 50 + 10).

Arrow 530 illustrates combining three quotes (as shown in Fig. 5a) at a common price of 48.5 (i.e., a quote of size 3 from market maker MMc, a quote of size 1 from market maker MMd, and a quote of size 20 from market maker MMe) into one combined quote (as shown in Fig. 5b) at the common price of 48.5. The combined quote may be displayed generically with market center NASDAQ and a size of 24 (i.e., 3 + 1 + 20).

Arrow 520 illustrates that only one quote from one ECN (i.e., ECNa) exists for the security at a price of 48.75. Therefore, a row of information in Fig. 5b for ECNa matches the corresponding row of information for ECNa as shown in Fig. 5a. The bids from ECNa, and market makers MMA and MMb are from different market centers, but at the same price. Since the market centers are different, the bid from ECNa is not combined with the bids from MMA and MMb.

Arrows 540 and 550 illustrate two quotes from ECNs (as shown in Fig. 5a) at a common price of 48.25 (i.e., a quote of size 3 from ECNb and a quote of size 7 from ECNc). Since the ECNb and ECNc are different market centers, the two quotes are not combined into one combined quote (as shown in Fig. 5b) at the common price of 48.25.

It may be advantageous to combine identical quotes from the same market center in the manner described herein since orders directed to these identical quotes may be expected to be executed in the same manner. In the case of the NASDAQ market, combining identical quotes from the same market center may include combining identical quotes available through the SOES. In this case, the combined identical quotes may be

from different market makers. It is believed that by combining quotes in this manner, the amount of data presented to a trader may be minimized without the loss of critical information. However, it is anticipated that the methods and systems of embodiments presented herein may also be used to combine identical quotes from different market centers. Such embodiments may be perceived as advantageous by certain traders as they may further minimize the data presented to the trader.

Fig. 6 is an illustration of an embodiment of a combined series of bid prices and ask prices for the security as shown in Fig. 5a. The illustration in Fig. 6 may represent a screenshot of a user interface in which a series of bid prices for a security are displayed on one side (i.e., the left side) of the screenshot, and a series of ask prices for the security are displayed on another side (i.e., the right side) of the screenshot. In one embodiment, positioning of the bid prices and/or the ask prices on the screenshot (e.g., left, right, top, bottom) may be user-configurable.

Similar to Figs. 5a and 5b, security-specific information 501 may be displayed at the top of the screenshot. The display of security-specific information 501 in Fig. 6 is shown as expanding across bid prices 504 and ask prices 604. In one embodiment, positioning of security-specific information 501 on the screenshot (e.g., top, bottom, expanded, collapsed) may be user-configurable.

As shown in Fig. 6, bid prices 504 match bid prices 504 as shown in Fig. 5b. Ask prices 604 may be shown below security-specific information 501 and to the right of bid prices 504. Columns of information may be shown in the ask prices 604 such as market center identification, price, and size. Additional columns may be displayed based on user preferences. Examples of additional columns may include: a tick direction, a change, a quote date and time, and a quote condition.

In one embodiment, as shown in both bid prices 504 and ask prices 604 of Fig. 6, the market center column for each row of combined quote information may include a generic term (e.g., NASDAQ). Also shown in both bid prices 504 and ask prices 604 of

Fig. 6, the market center column for each row of quote information may include an abbreviation for a single market center (e.g., ECNa and ECNd) to represent a quote from the single market center.

5 Although a figure similar to Fig. 5a including individual market center ask prices is not shown, the method as described regarding Fig. 5b, may be used to create a single row of combined quote information for each ask price for the security. As indicated by the NASDAQ value in the market center column in ask prices 604 of Fig. 6, at least two market center ask quotes may be combined at the common prices of 48.875, 49.375, and
10 49.75, into one combined quote at each common price-point, respectively (i.e., common price 48.875 has a combined size of 3, common price 49.375 has a combined size of 200, and common price 49.75 has a combined size of 4).

As shown, quote-specific information 605 may be displayed at the bottom of the
15 screenshot. In one embodiment, positioning of quote-specific information 605 on the screenshot (e.g., top, bottom, expanded, collapsed) may be user-configurable.

Quote-specific information may include: a price, a number of shares, a market center identification, a market center identification number, a trailing stop price, a stop
20 loss price, a selection mechanism (e.g., a “purchase” push-button), and an account identification number. Additional (or less) quote-specific information may be displayed based on user configuration settings. As used herein, a “trailing stop order” may generally refer to a stop loss order that may follow a favorable price trend. As used
herein, a “trailing stop price” may generally refer to a price specified in a trailing stop
25 order. As used herein, a “stop loss order” may generally refer to an order to buy or sell a quantity of a security if a specified price is reached or passed. For example, the specified price may be below the current market price, and the order may be to sell. As used
herein, a “stop loss price” may generally refer to a price specified in a stop loss order.

30 Quote-specific information 605 may be displayed upon selection of a particular row from either bid prices 504 or ask prices 604 by a user. Fields in quote-specific

information 605 may also be pre-filled with values taken from the selected row in either bid prices 504 or ask prices 604. A user may modify fields in quote-specific information 605. When the user determines that the fields in quote-specific information 605 represent an order that the user desires to place, the user may place the order by selecting a selection mechanism (e.g., selecting the “purchase” push-button).

User preferences specifying a ranking of market centers such that the ranking specifies a sequence in which the user prefers an order to be filled by the market centers may be entered in a screen separate from quote-specific information 605. Upon user request to place an order (e.g., a buy order or a sell order for a security displayed with a combined quote), a market center represented in a combined quote may be automatically matched with market centers in the user preferences to fill the order.

Various embodiments further include receiving or storing instructions and/or data implemented in accordance with the foregoing description upon a carrier medium. Suitable carrier media may include storage media or memory media such as magnetic or optical media, e.g., disk or CD-ROM, as well as signals such as electrical, electromagnetic, or digital signals, conveyed via a communication medium such as networks 102 and/or 104 (as shown in Fig. 1) and/or a wireless link.

While the specific examples set forth herein are generally directed to embodiments related to the NASDAQ Stock Market, it will be recognized by those skilled in the art that the embodiments disclosed herein may be applied to other stock markets as well.

It will be appreciated to those skilled in the art having the benefit of this disclosure that this invention is believed to provide methods and systems for displaying information related to securities to a user. Further modifications and alternative embodiments of various aspects of the invention will be apparent to those skilled in the art in view of this description. For example, the method and systems may also be used for monitoring quotes in other industries such as on-line auctions. It is intended that the

following claims be interpreted to embrace all such modifications and changes and, accordingly, the specification and drawings are to be regarded in an illustrative rather than a restrictive sense.

5

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
2222
2223
2224
2225
2226
2227
2228
2229
2230
2231
2232
2233